



**FIELDCOMM GROUP™**  
*Connecting the World of  
Process Automation*

**HART**   
COMMUNICATION PROTOCOL

**Universal Command Test  
Specification**

**HCF\_TEST-003, FCG TT20003  
Revision 5.2**

**Release Date: 19 September 2024**

**Release Date:** 19 September 2024

### **Document Distribution / Maintenance Control / Document Approval**

To obtain information concerning document distribution control, maintenance control and document approval, please contact the FieldComm Group at the address shown below.

### **Copyright © 1998, 2001, 2004, 2009, 2017, 2020-2022 2024 FieldComm Group**

This document contains copyrighted material and may not be reproduced in any fashion without the written permission of the FieldComm Group.

### **Trademark Information**

HART® and WirelessHART® are registered trademarks of the FieldComm Group, Austin, Texas, USA. Any use of the term HART or WirelessHART hereafter in this document, or in any document referenced by this document, implies the registered trademark. All other trademarks used in this or referenced documents are trademarks of their respective companies. For more information contact the FieldComm Group Staff at the address below.



**FIELD COMM GROUP™**

*Connecting the World of  
Process Automation*

FieldComm Group  
9430 Research Boulevard  
Suite 1-120  
Austin, TX 78759, USA

Voice: +1 512-792-2300  
FAX: 1-512-792-2310

<http://www.fieldcommgroup.org>

### **Use of imperatives in HART Specifications**

The key words (imperatives) "must", "required", "shall", "should", "recommended", "may", and "optional" when used in this document are to be interpreted as follows:

- Must** **Must, Shall, or Required** denotes an absolute mandatory requirement. For example, "All HART Field Devices must implement all Universal Commands"
- Should** **Should or Recommended** indicates a requirement that, given good cause/reason, can be ignored. However, the consequences of ignoring the requirement must be fully understood and well justified before doing so.
- May** **May or Optional** identifies a requirement that is completely optional and can be supported at the discretion of the implementation. May can be used to identify optional Application functionality and, when this is the case, does not imply the function is optional in Field Devices.

### **Intellectual Property Rights**

The FieldComm Group does not knowingly use or incorporate any information or data into the HART Specifications which the FieldComm Group does not own or have lawful rights to use. Should the FieldComm Group receive any notification regarding the existence of any conflicting Private IPR, the FieldComm Group will review the disclosure and either (a) determine there is no conflict; (b) resolve the conflict with the IPR owner; or (c) modify this specification to remove the conflicting requirement. In no case does the FieldComm Group encourage implementers to infringe on any individual's or organization's IPR.

# Table of Contents

Preface .....	5
Introduction .....	6
1. Scope .....	7
1.1 Features Tested .....	7
2. Approach .....	8
2.1 Testing Sequence .....	8
2.2 Conventions .....	8
2.3 Comparing Floating-Point Numbers .....	9
3. Test Definitions .....	10
3.1 UAL000 Confirm All Universal Commands Supported .....	10
3.2 UAL001 Read Dynamic Variables (Commands 1, 2, and 3) .....	12
3.3 UAL003 Write Polling Address (Commands 6 and 7) .....	14
3.4 UAL004 Read Unique Identifier with Tag (Command 11) .....	21
3.5 UAL005 Write Message (Commands 12 and 17) .....	23
3.6 UAL006 Write Tag Descriptor and Date (Commands 13 and 18) .....	25
3.7 UAL007 Verify Command 14 and 15 Response .....	28
3.8 UAL008 Write Final Assembly Number (Commands 16 and 19) .....	30
3.9 UAL009 Verify Write Protect .....	32
3.10 UAL010 Verify Cold Start Bit .....	36
3.11 UAL011 Read Device Variables (Command 9) .....	38
3.12 UAL012 Read Dynamic Variable Classification (Command 8) .....	47
3.13 UAL013 Write Long Tag (Commands 20 and 22) .....	49
3.14 UAL014 Read Unique Identifier (Command 0) .....	53
3.15 UAL015 Read Unique Identifier With Long Tag (Command 21) .....	55
3.16 UAL038 Reset Configuration Changed Flag .....	57
3.17 UAL048 Read Additional Device Status .....	62
ANNEX A. Reusable Test Procedure Definitions .....	67
A.1 CyclePower ( ) .....	67
A.2 IdentifyDevice ( ) .....	68
A.3 VerifyResponseAndByteCount ( rc, bc ) .....	68
A.4 TestValidFrame ( ) .....	68
A.5 VerifyNotWriteProtected ( ) .....	69
A.6 VerifyDate ( date ) .....	69
A.7 IssueCommand12 ( msg, failurePoint ) .....	69
A.8 IssueCommand13 ( tag, desc, date, failurePoint ) .....	70
A.9 IssueCommand16 ( fan, failurePoint ) .....	70
A.10 IssueCommand20 ( ITag, failurePoint ) .....	71
ANNEX B. Failure Point Cross Reference .....	72
ANNEX C. References .....	74

C.1	The HART-Field Communications Protocol Specifications .....	74
C.2	Related Documents.....	74
ANNEX D.	Definitions .....	74
ANNEX E.	Symbols/Abbreviations .....	75
ANNEX F.	Revision History .....	76
F.1	Revision 5.2 .....	76
F.2	Revision 5.1 .....	76
F.3	Revision 5.0 .....	77
F.4	Revision 4.1 .....	77
F.5	Revision 4.0 .....	78
F.6	Revision 3.0 .....	79
F.7	Revision 2.0 .....	79
F.8	Revision 1.2 .....	79
F.9	Revision 1.1 .....	79